



ఆంధ్రప్రదేశ్ రాజపత్రము
THE ANDHRA PRADESH GAZETTE
PUBLISHED BY AUTHORITY

W.No.47

AMARAVATI, TUESDAY, NOVEMBER 24, 2020

G.324

PART II - MISCELLANEOUS NOTIFICATIONS OF INTEREST TO THE PUBLIC

--X--

NOTIFICATIONS BY HEADS OF DEPARTMENTS Etc.,
SUPERINTENDING ENGINEER,
IRRIGATION CIRCLE : : VIJAYAWADA.

Proceedings No.CB/ntpa/EC/ 891.

Dated: 01.10.2020.

W.R. DEPT.- IRRIGATION CIRCLE, VIJAYAWADA - OFFICE SUBORDINATES -
Smt. M. JAYA KUMARI, OFFICE SUBORDINATE, W/o. LATE M. VENKATA RAO,
DECEASED POLICE CONSTABLE - TERMINATION OF SERVICES WITH
IMMEDIATE EFFECT ON ACCOUNT OF UNSATISFACTORY CONDUCT.

- Ref : 1. A.P. State & Subordinate Service Rules, 1996.
2. Government memo no. 513/SC-B/95-1 Dt: 17-4-1995.
3. Collector, Krishna, Machilipatnam proceedings No:Rev/ASECoRP (CA) 11/2017- SA (A7) KCO, Dt: 6-6-2017.
4. This Office Proceedings No:CB/NTPA/EC2/ 621 M, Dt: 16-6-17.
5. Executive Engineer, Special Divn, Vja Lr.No:AB/EC1/E-8/279 SE, Dt: 25-10-17.
6. This Office letter No:CB/EC2/1196 M, Dt: 31-10-17.
7. Commissioner of Police, Vijayawada City letter No:C.No: 1858/SB VR/2017, Dt: 15-12-2017.
8. This Office Memo No: CB/EC2/8 C, Dt: 23-1-18.
9. Executive Engineer, Special Divn, Vja Lr.No: AB/EC1/E-8/4C, Dt: 12-03-2018.
10. This Office Letter No. CB/NTPA/Supdt/EC2/19 C, Dt: 17-03-2018.
11. Commissioner of Police, Vijayawada City Lr.No.1858/SB-VR/2017, Dt: 04-07-2018.
12. Executive Engineer, Special Divn, Vja Lr.No:AB/EC1/E-8/15C, Dt:05-12-2019.

Smt. M. Jaya Kumari, Office Subordinate who absent to duty is informed that the Study Certificate and Transfer Certificate submitted to the Collector Krishna by her for getting appointment on compassionate grounds are proved as fake and manipulated in the verification of character and antecedents by the police department is violation appointment under rule 10(a) of AP State & Subordinate Service Rules, 1996.

ORDER:-

In exercise of powers conferred under Rules 10(b), 12(1) (a) and 17 of AP State & Subordinate Service Rules, 1996, and delegation of powers under Rule 10(e) AP State & Subordinate Service Rules, 1996, the services of Smt. M. Jaya Kumari, (DOB: 17-03-1987) W/o. Sri Late M. Venkata Rao, Deceased constable expired on 15-02-2013) who was appointed as Office Subordinate on compassionate grounds vide this office reference No.CB/EC2/621M, Dt:16-06-2017 is here by terminated from Government service and discharged from duly with effect from 26-12-2018 (date of application of leave) on account of unsatisfactory conduct, such as production of fake, forged certificates of Transfer Certificate, Study Certificates at the time of appointment compassionate on grounds as reported by the police authorities while verification of his character and antecedents as required under service rules.

K. NARASIMHA MURTHY,
Superintending Engineer,
Irrigation Circle,
Vijayawada.

To
Smt. M. Jaya Kumari, Office Subordinate,
Through Executive Engineer,
Special Division, Vijayawada.

---X---